Guthrie (GT) 2020 Rankings

| County | Demograp | hics |
|---------|----------|-------|
| Courtey | Domograp | 11100 |

| | County | State | |
|--|--------|-----------|--|
| Population | 10,720 | 3,156,145 | |
| % below 18 years of age | 22.4% | 23.2% | |
| % 65 and older | 22.5% | 17.1% | |
| % Non-Hispanic Black | 0.6% | 3.8% | |
| % American Indian & Alaska Native | 0.4% | 0.5% | |
| % Asian | 0.4% | 2.7% | |
| % Native Hawaiian/Other Pacific Islander | 0.1% | 0.1% | |
| % Hispanic | 3.0% | 6.2% | |
| % Non-Hispanic White | 94.5% | 85.3% | |
| % not proficient in English | 1% | 2% | |
| % Females | 50.1% | 50.2% | |
| % Rural | 100.0% | 36.0% | |
| | | | |

| | Guthrie County | Error Margin | Top U.S. Performers ^ | Iowa | Rank (of 99) |
|--|-------------------------|--------------------------------------|--------------------------|-------------------------|--------------|
| Health Outcomes | | | | | 24 |
| Length of Life | | | | | 10 |
| Premature death | 4,600 | 3,100-6,100 | 5,500 | 6,200 | 52 |
| Quality of Life | | | | | 52 |
| Poor or fair health ** Poor physical health days ** Poor mental health days ** Low birthweight | 13% 3.2 3.5 7% | 12-13% 3.0-3.3 3.3-3.7 5-9% | 12% 3.1 3.4 6% | 14% 3.3 3.6 7% | |

Additional Health Outcomes (not included in overall ranking)

| Life expectancy | 81.6 | 80.0-83.2 | 81.1 | 79.4 |
|----------------------------------|------|-----------|------|------|
| Premature age-adjusted mortality | 250 | 200-300 | 270 | 320 |
| Child mortality | | | 40 | 50 |
| Infant mortality | | | 4 | 5 |
| Frequent physical distress | 9% | 9-10% | 9% | 10% |
| Frequent mental distress | 11% | 11-11% | 11% | 11% |
| Diabetes prevalence | 8% | 4-13% | 7% | 10% |
| HIV prevalence | | | 41 | 98 |

| Health Factors | | | | 47 | |
|----------------------------------|-----|--------|-----|-----|--|
| Health Behaviors | | | | 53 | |
| | | | | | |
| Adult smoking ** | 15% | 14-16% | 14% | 17% | |
| Adult obesity | 34% | 26-42% | 26% | 33% | |
| Food environment index | 8.5 | | 8.6 | 8.2 | |
| Physical inactivity | 37% | 29-45% | 20% | 24% | |
| Access to exercise opportunities | 74% | | 91% | 83% | |
| Excessive drinking ** | 21% | 20-22% | 13% | 22% | |
| Alcohol-impaired driving deaths | 40% | 15-62% | 11% | 27% | |

13-24

161.4

13

441.6

19

Additional Health Behaviors (not included in overall ranking)

| Food insecurity | 10% | | 9% | 11% |
|---------------------------------|-----|------|----|-----|
| Limited access to healthy foods | 4% | | 2% | 6% |
| Drug overdose deaths | | | 10 | 10 |
| Motor vehicle crash deaths | 13 | 6-25 | 9 | 11 |

337.4

18

Sexually transmitted infections

Teen births

| Insufficient sleep | 27% | 26-28% | 27% | 28% | |
|--|--|---------------------------------------|--|---|----|
| Clinical Care | | | | | 71 |
| Uninsured Primary care physicians Dentists Mental health providers Preventable hospital stays Mammography screening Flu vaccinations | 6% 2,670:1 2,680:1 5,360:1 3,808 46% 55% | 5-7% | 6% 1,030:1 1,240:1 290:1 2,761 50% 53% | 5% 1,370:1 1,500:1 640:1 3,808 51% 53% | |
| Additional Clinical Care (not inclu | uded in c | verall rankin | g) | | |
| Uninsured adults Uninsured children Other primary care providers | 7% 4% 1,191:1 | 6-8% 3-5% | 7% 3% 665:1 | 7% 3% 990:1 | |
| Social & Economic Factors | | | | | 32 |
| High school graduation Some college Unemployment Children in poverty Income inequality Children in single-parent households Social associations Violent crime Injury deaths | 98% 71% 2.6% 14% 3.8 30% 20.6 33 | 63-79% 11-17% 3.4-4.3 22-39% | 96% 73% 2.6% 11% 3.7 20% 18.4 63 | 91% 70% 2.5% 14% 4.2 29% 15.2 282 67 | |
| Additional Social & Economic Fa | ctors (no | at included in | overall ran | kina) | |
| Additional Goolal & Economic 1 a | otors (iic | included in | i overali raili | Kiiig) | |
| Disconnected youth Reading scores Math scores Median household income Children eligible for free or reduced price lunch Residential segregation - Black/White Residential segregation - non-white/white Homicides Suicides Firearm fatalities Juvenile arrests | 3.1 3.2 \$60,300 35% 44 | \$53,200-67,400 | 4% 3.4 3.4 \$69,000 32% 23 14 2 11 | 5% 3.1 3.1 \$60,100 40% 62 48 2 14 9 37 | |
| Physical Environment | | | | | 60 |
| Air pollution - particulate matter ** Drinking water violations Severe housing problems Driving alone to work Long commute - driving alone | 8.8 No 13% 79% 42% | 10-15% 76-82% 37-47% | 6.1 9% 72% 16% | 9.0 12% 81% 20% | |
| Additional Physical Environment (not included in overall ranking) | | | | | |
| Traffic volume | | | | 1,461 | |

Areas of Strength

^{^ 10}th/90th percentile, i.e., only 10% are better.
** Data should not be compared with prior years
Note: Blank values reflect unreliable or missing data